WHAT IS CLAIMED IS:

- 1. An input device for use with a system operable to process an electronic communication comprising:
- a function button operably associated with selecting a specific electronic communication function; and

an identification key operable to identify the input device in response to a user selecting the function button.

10

- 2. The device of Claim 1, further comprising memory operable to store the identification key.
- 3. The device of Claim 2, wherein the memory may be periodically updated to include a new identification key.
 - 4. The device of Claim 1, wherein the identification key comprises a user password.

- 5. The device of Claim 1, wherein the electronic communication function comprises a send button.
- 6. The device of Claim 1, wherein the electronic communication function comprises a forward button.
 - 7. The device of Claim 1, further comprising a keyboard.



- 8. The device of Claim 1, further comprising a pointing device.
- 9. The device of Claim 1, further comprising the function button operably associated with selecting an email function

10

15

10. A method for providing an identifier for processing an electronic communication comprising: receiving a request via an input device to process the electronic communication;

determining an identification key operable to identify the input device; and

processing the electronic communication using the requesting process upon validating the identification key.

11. The method of Claim 10, further comprising:

accessing a portion of memory to determine the identification key;

receiving the identification key from the input device; and

comparing the received identification key to a the stored identification key to determine if the input is valid.

20 12. The method of Claim 10, further comprising: receiving the request via a port operably associated with the input device;

receiving the identification key from the input device; and

- verifying the request and the identification key.
 - 13. The method of Claim 10, further comprising:

quarantining the electronic communication if the identification key is not valid; and

notifying a user of the quarantined electronic communication.

5

14. The method of Claim 10, further comprising:

determining if the request originated from the input device; and

processing the request if the input originated 10 at the input device.

- 15. The method of Claim 10, further comprising:

 determining an identification key for the input
 device; and
- 15 storing the identification key within a memory associated with the input device.
- 16. The method of Claim 10, further comprising:

 determining an electronic communication process

 20 associated with the input device; and

associating the function with one or more buttons associated with the input device.

17. The method of Claim 16, further comprising
25 receiving an input from a user to select the one or more function buttons.

18. The method of Claim 10, further comprising displaying a function button within a user interface associated with the input device.

5

19. The method of Claim 10, further comprising associating an encrypted device identifier within the electronic communication upon processing the electronic communication.

OSZEDYE ARRODO



- A system operably associated with processing an electronic communication in the form of an email comprising:
- a prodessor operable to process the email; memory operably coupled to the processor; and an input device operably coupled to the processor, the processor operable to validate a user request via the input device to process an email.
- The system of Claim 20, wherein the input 10 device comprises a keyboard including a identification key operable to identify a user request via the keyboard to process the email.
- The system of Claim 21, wherein the keyboard 15 comprises memory operable to store the identification key.
- The system of Claim 20, further comprising a 20 pointing device including an identification key operable to identify a user request via the pointing device to process the email.
- The system of Claim 20, further comprising a graphical user interface operable to display an email 25 software program.

25. A method for processing an electronic communication in the form of email using a system comprising:

determining an input device operably coupled to the system;

determining an identification key operably associated with the input device; and

processing an email upon receiving a valid request from the imput device to process the email.

10

15

20

5

26. The method of Claim 25, further comprising:
determining a function button operably
associated with the input device; and

receiving an input to process the email via a user selecting the function button.

- 27. The method of Claim 25, further comprising: receiving an input from the input device to process the email;
 - verifying the input device is valid; and processing the email based on the verification.
- 28. The method of claim 27, further comprising
 25 processing the email using a function associated with the requested process upon the input device being valid.
 - 29. The method of Claim 28, further comprising associating an encrypted identifier with the email.

30. The method of Claim 28, further comprising:
quarantining the email upon the input device
determining the input device is not valid; and
notifying a user of the quarantined email.

COPYECHE TERMOO

An input device for use with a system operable to process an electronic communication comprising:

means for receiving a request via an input device to process an electronic communication;

means for determining an identification key operable to identify the input device; and

means for processing the email using the requesting prodess upon validating the identification key.

10

5

The input device of Claim 31, further comprising:

means for accessing a portion of memory determine the identification key;

means for receiving the identification key from 15 the input device; and

means for comparing the received identification key to a the stored identification key to determine if the input is valid.

20

25

The method of Claim 31, further comprising: means for receiving a request via a port operably associated with the input device;

means for receiving the identification key from the input device; and

means for verifying the request and the identification key.

15

25

28

34. A medium including encoded logic for processing electronic communications comprising the logic operable to:

determine an input device operably coupled to the system;

determine an identification key operably associated with the input device; and

process an electronic communication upon receiving a valid request from the input device to process the email.

35. The medium as recited in Claim 34, further comprising the logic operable to:

determine a function button operably associated with the input device; and


receive an input to process the email via a user selecting the function button.


36. The medium as recited in Claim 35, further 20 comprising the logic operable to:

receive an input from the input device to process the email;

verify the input device is valid; and process the electronic communication based on the verification.

37. The medium as recited in Claim 35, further comprising the logic operable to process the electronic





communication using a function associated with the requested process upon the input device being valid.